Author Index to Volume 36

References with (A) are to abstracts of papers presented at meetings of the Optical Society of America; (T) designates title only; (L) designates Letters to the Editor.

Adams, Elliot Q. Developments of the concept of chromatic value—717(A)
—— Some suggestions for the nomenclature of radiation—358(A), 429(L)
—— (see Forsythe, W. E.)—720(A)
Amon, W. F., Jr. (see Blout, E. R.)—361(A), 460
Andrews, Donald H., Robert M. Milton, and Warren DeSorbo. Fast superconducting bolometer—353(A), 518

Baker, James G. Apochromatic photographic lenses of long focal length—722(A)
Balcom, Margaret M. (see Gibson, Kasson S.)—367(A)
Ballard, S. S. (see Pulling, N. H.)—360(A)
—— **and N. H. Pulling.** German naval optical instruments—360(A)
Barnes, B. T. (see Forsythe, W. E.)—720(A)
Barnes, R. Bowling, David Richardson, and John W. Berry. Simple nomochromatic source—52
Barnett, C. E. (see Miller, N. F.)—352(A)
Barr, E. E. (see Billings, B. H.)—354(A)
Bartelt, John A. and Florence L. Douglas. Comparator-photometer for routine inspection of light-transmitting covers for aircraft lights—363(A)
Becker, J. A. (see Brattain, W. H.)—354(A)
—— **and H. R. Moore.** Thermistor bolometer detecting system for infra-red spectrometers—354(A)
Beese, N. C. Cesium vapor lamps—720(A), 555
—— Fluorescence of phosphors in rare gases—493
Bell, E. E., R. F. Buhl, A. H. Nielsen, and H. H. Nielsen. Comparative studies of the performance of infra-red receivers—355(A)
Beloian, E. (see Jacobsohn, S.)—712(A)
Benford, Frank. Radiation in a diffusing medium—524
Benson, Nels C. (see Goldberg, Benjamin)—712(A)
Berry, John W. (see Barnes, R. Bowling)—52
Billings, B. H., W. L., Hyde, and E. E. Barr. Evaporated-metal bolometer for use in high speed recording systems—354(A)
Blackwell, H. Richard. Contrast thresholds of the human eye—624, 714(A)
Blair, Julian, M. (see Jewell, W. R.)—177(L)
Blau, M. and I. Feuer. Radioactive light sources—576
—— **and J. R. Carlin.** Temperature effects of fluorescence and phosphorescence phenomena associated with ir-radiations by alpha-particles—709(A)
Blout, E. R., W. F. Amon, Jr., R. G. Shepherd, Jr., A. Thomas, C. D. West, and E. H. Land. Near infra-red transmitting filters—460
——, **E. H. Land, W. F. Amon, Jr., A. Thomas, and R. G. Shepherd, Jr.** Near infra-red transmitting filters—361(A)
Boettner, E. A., and C. F. Tufts. Study concerning characteristics of the high voltage a.c. arc—720(A)
Bowen, I. S. (see Jenkins, F. A.)—617
Brattain, W. H. and J. A. Becker. Thermistor bolometers—354(A)
Brice, B. A. (see Speiser, Rudolph)—364(A)
—— **and Rudolph Speiser.** Differential refractometer—363(A)
Brockman, Frank G. Production and properties of nickel bolometers—32
Brode, Wallace R. (see Shenk, John H.)—361(A), 569
Buckingham, W. D. and C. R. Deibert. Concentrated-arc lamp—245, 361(A)
Buhl, R. F. (see Bell, E. E.)—355(A)
Buschke, Wilhelm. (see Friedenwald, Jonas S.)—365(A)

Caballero, Doris L. Theoretical development of exact solution of reflectance of multiple layer coatings—710(A)
Caldecourt, V. J. and J. L. Saunderson. Combination arc-spark source for magnesium analysis—99
Carlin, J. R. (see Blau, M. M.)—709(A)
Carmine, Earl J. (see Reimann, Genevieve)—235
Carpenter, R. O'Brien. New light balancing circuit for the non-recording densitometer—676
Cashman, R. J. New photo-conductive cells—356(A)
Christine, O. W. (see Levy, S.)—503, 707
Coblentz, W. W. Measurement of ultraviolet radiation useful in heliotherapy—72
Cohen, Jozef. Color adaptation to stimuli of different spectral composition but equal I.C.I. specification—717(A)
Coheur, Pierre. Method of quantitative spectrochemical analysis based on line widths—498.
Cooper, Franklin S. Optical characteristics and applications of beam splitting pellicles—363(A)
Corliss, Charles H. Spectrographic analysis of high speed tool steel—357(A)
Crosswhite, H. M. (see Dieke, G. H.)—185, 192
Cruickshank, F. D. On the primary chromatic coefficients of a lens system—103
—— Paraxial differential transfer coefficients of a lens system—13
—— Trigonometrical correction of microscope objectives—296

Deibert, C. R. (see Buckingham, W. D.)—245, 361(A)
Dench, Edward C. (see Hardy, Arthur C.)—718(A)
DeSorbo, Warren. (see Andrews, Donald H.)—353(A), 518
Deuberry, Harry B. Hardening of opthalmic lenses—712(A)
Dieke, G. H. and H. M. Crosswhite. Spectrochemical analysis with the oscillograph—192
——, **H. Y. Loh, and H. M. Crosswhite.** Spectral intensity measurements with photo-tubes and the oscillograph—185

Author Index to Volume 36

References with (A) are to abstracts of papers presented at meetings of the Optical Society of America; (T) designates title only; (L) designates Letters to the Editor.

Adams, Elliot Q. Developments of the concept of chromatic value—717(A)
—— Some suggestions for the nomenclature of radiation—358(A), 429(L)
—— (see Forsythe, W. E.)—720(A)
Amon, W. F., Jr. (see Blout, E. R.)—361(A), 460
Andrews, Donald H., Robert M. Milton, and Warren DeSorbo. Fast superconducting bolometer—353(A), 518

Baker, James G. Apochromatic photographic lenses of long focal length—722(A)
Balcom, Margaret M. (see Gibson, Kasson S.)—367(A)
Ballard, S. S. (see Pulling, N. H.)—360(A)
—— **and N. H. Pulling.** German naval optical instruments—360(A)
Barnes, B. T. (see Forsythe, W. E.)—720(A)
Barnes, R. Bowling, David Richardson, and John W. Berry. Simple nomochromatic source—52
Barnett, C. E. (see Miller, N. F.)—352(A)
Barr, E. E. (see Billings, B. H.)—354(A)
Bartelt, John A. and Florence L. Douglas. Comparator-photometer for routine inspection of light-transmitting covers for aircraft lights—363(A)
Becker, J. A. (see Brattain, W. H.)—354(A)
—— **and H. R. Moore.** Thermistor bolometer detecting system for infra-red spectrometers—354(A)
Beese, N. C. Cesium vapor lamps—720(A), 555
—— Fluorescence of phosphors in rare gases—493
Bell, E. E., R. F. Buhl, A. H. Nielsen, and H. H. Nielsen. Comparative studies of the performance of infra-red receivers—355(A)
Beloian, E. (see Jacobsohn, S.)—712(A)
Benford, Frank. Radiation in a diffusing medium—524
Benson, Nels C. (see Goldberg, Benjamin)—712(A)
Berry, John W. (see Barnes, R. Bowling)—52
Billings, B. H., W. L., Hyde, and E. E. Barr. Evaporated-metal bolometer for use in high speed recording systems—354(A)
Blackwell, H. Richard. Contrast thresholds of the human eye—624, 714(A)
Blair, Julian, M. (see Jewell, W. R.)—177(L)
Blau, M. and I. Feuer. Radioactive light sources—576
—— **and J. R. Carlin.** Temperature effects of fluorescence and phosphorescence phenomena associated with ir-radiations by alpha-particles—709(A)
Blout, E. R., W. F. Amon, Jr., R. G. Shepherd, Jr., A. Thomas, C. D. West, and E. H. Land. Near infra-red transmitting filters—460
——, **E. H. Land, W. F. Amon, Jr., A. Thomas, and R. G. Shepherd, Jr.** Near infra-red transmitting filters—361(A)
Boettner, E. A., and C. F. Tufts. Study concerning characteristics of the high voltage a.c. arc—720(A)
Bowen, I. S. (see Jenkins, F. A.)—617
Brattain, W. H. and J. A. Becker. Thermistor bolometers—354(A)
Brice, B. A. (see Speiser, Rudolph)—364(A)
—— **and Rudolph Speiser.** Differential refractometer—363(A)
Brockman, Frank G. Production and properties of nickel bolometers—32
Brode, Wallace R. (see Shenk, John H.)—361(A), 569
Buckingham, W. D. and C. R. Deibert. Concentrated-arc lamp—245, 361(A)
Buhl, R. F. (see Bell, E. E.)—355(A)
Buschke, Wilhelm. (see Friedenwald, Jonas S.)—365(A)

Caballero, Doris L. Theoretical development of exact solution of reflectance of multiple layer coatings—710(A)
Caldecourt, V. J. and J. L. Saunderson. Combination arc-spark source for magnesium analysis—99
Carlin, J. R. (see Blau, M. M.)—709(A)
Carmine, Earl J. (see Reimann, Genevieve)—235
Carpenter, R. O'Brien. New light balancing circuit for the non-recording densitometer—676
Cashman, R. J. New photo-conductive cells—356(A)
Christine, O. W. (see Levy, S.)—503, 707
Coblentz, W. W. Measurement of ultraviolet radiation useful in heliotherapy—72
Cohen, Jozef. Color adaptation to stimuli of different spectral composition but equal I.C.I. specification—717(A)
Coheur, Pierre. Method of quantitative spectrochemical analysis based on line widths—498.
Cooper, Franklin S. Optical characteristics and applications of beam splitting pellicles—363(A)
Corliss, Charles H. Spectrographic analysis of high speed tool steel—357(A)
Crosswhite, H. M. (see Dieke, G. H.)—185, 192
Cruickshank, F. D. On the primary chromatic coefficients of a lens system—103
—— Paraxial differential transfer coefficients of a lens system—13
—— Trigonometrical correction of microscope objectives—296

Deibert, C. R. (see Buckingham, W. D.)—245, 361(A)
Dench, Edward C. (see Hardy, Arthur C.)—718(A)
DeSorbo, Warren. (see Andrews, Donald H.)—353(A), 518
Deuberry, Harry B. Hardening of opthalmic lenses—712(A)
Dieke, G. H. and H. M. Crosswhite. Spectrochemical analysis with the oscillograph—192
——, **H. Y. Loh, and H. M. Crosswhite.** Spectral intensity measurements with photo-tubes and the oscillograph—185

Dietert, H. W. (see Lindhurst, R. W.)—358(A)
Douglas, Florence L. (see Bartelt, John A.)—363(A)
Duffendack, O. S. Developments in the detection of infra-red radiation in the 10-micron region—353(A)
Dull, Bernice Beisel and Lawrence J. Hibbert. Spectrochemical analysis of lead base metals—53
Dunham, Theodore, Jr. Development of new optical materials—349(A)
Duntley, Seibert Q. Automatic recording photoelectric goniophotometer—367(A)
—— Book review—182
—— Contrast reduction by the atmosphere along inclined paths of sight—713(A)
—— Reduction of contrast by the atmosphere—359(A)
—— Visibility of objects seen through the atmosphere—359(A)

Eastmond, E. John. Spectrographic determination of calcium in microbiological culture media—57
Edgerton, Harold E. Photographic use of electrical discharge flash-tubes—390
Ellerbrock, V. J. Report on survey of optical aids for subnormal vision—679
Ellickson, R. T. Effect of wave-length distribution on the brightness of phosphors—261
—— Light storage in infra-red sensitive phosphors—501
—— Light sum of phosphors under thermal and infra-red stimulation—264
Engstrom, Ralph W. Photo-multiplier tube characteristics—720(A)
Epstein, D. W. Application of a spherical reflector and aspherical correcting lens to CRT projection television—350(A)
Evans, J. C. and R. E. Hopkins. Mathematical table projector designed for optical calculations—721(A)
Ewing, Maurice, Allyn Vine, and J. L. Worzel. Photography of the ocean bottom—307

Fairbanks, Ernest E. Illuminator for use in metallographic microscopy—244(L)
Farnsworth, Dean. Effect of colored lenses upon color discrimination—365(A)
Fast, E. Note on the effect of plate calibration errors in spectrographic analysis—424
Fastie, Wm. G. and A. H. Pfund. Infra-red gas analysis—362(A)
Feder, D. P. (see Hopkins, R. E.)—721(A)
Ferguson, W. F. C. On testing the angles of reflecting prisms—244(L)
Feuer, I. (see Blau, M.)—576
Fonda, Gorton R. Preparation and characteristics of zinc sulfide phosphors sensitive to infra-red—352(A), 382
Foote, P. C. (see Townsley, M. G.)—712(A),
—— **and Robert A. Woodson.** Lens design and tolerance analysis methods and results—721(A)
Forsythe, W. E., E. Q. Adams, and B. T. Barnes. Radiation sources for photoelectric radiometry—720(A)
Friedel, Robert A. (see McKinney, David S.)—715(A)
Friedenwald, Jonas S. and Wilhelm Buschke. Some effects of ultraviolet and x-ray radiation on the corneal epithelium—365(A)
Fry Glenn A. Relation of the length of a border to its visibility—713(A)

Gibson, Kasson S. and Margaret M. Balcom. Transmission measurements with the Beckman spectrophotometer—367(A)
——, **Geraldine W. Haupt, and Harry J. Keegan.** Comparison of railroad, traffic, and marine signal color specifications—366(A)
Glancy, A. Estelle. On the theory of computation of an aspherical surface—416
Goldberg, Benjamin and Nels C. Benson. Apparatus for determining spherical aberration of convex surface of paraboloid of revolution—712(A)
Gore, Robert C., Robert S. McDonald, Van Zandt Williams, and John U. White. Comparison of LiF and CaF_2 prisms for infra-red use—715(A)
Griffin, Donald R., Ruth Hubbard, and George Wald. Sensitivity of human rod and cone vision to infra-red radiation—360(A)
—— **and George Wald.** Factors affecting the change in refractive power of the eye at high and low illuminations—359(A)
Grossman, H. H. (see Saunderson, J. L.)—243(L)

Hall, A. G. Book review—181
Hamsher, D. H. Screen-line test of paraboloidal reflectors—291
Hansen, G. Influence of the Stiles-Crawford effect on measurements with the Pulfrich photometer—321
Hardy, Arthur C. Atmosphere limitations on the performance of telescope—283, 359(A)
—— **and Edward C. Dench.** Electronic methods for solving simultaneous equations with special reference to color correction in color printing—718(A)
—— **and F. L. Wurzburg, Jr.** Color correction in three-color and four-color printing—718(A)
—— **and F. L. Wurzburg, Jr.** Photoelectric method of preparing printing plates—717(A)
Hardy, LeGrand H., Gertrude Rand, and M. Catherine Rittler. Effect of quality of illumination on the results of the Ishihara test—86
——, **Gertrude Rand, and M. Catherine Rittler.** Screening test for defective red-green vision—610
Harris, Louis. Rapid response thermopiles—597
Harrison, George R. Book review—119
—— Automatic device for the measurement and reduction of Fabry-Perot spectrograms—718(A)
—— Direct determination of wave-lengths from Fabry-Perot interferometer patterns—644
—— Optics in reconversion—1
—— Unity in diversity—183
—— (see McNally, J. Rand, Jr.)—358(A)
Harvey, C. E. Method of semi-quantitative spectrographic analysis—719(A)
Hasler, M. F. (see Lindhurst, R. W.)—358(A)

Haupt, Geraldine W. (see Gibson, Kasson S.)—266(A)
Havens, R. Theoretical comparison of heat detectors—355(A)
Hecht, Selig. (see Lamar, Edward S.)—714(A)
—— **and Yun Hsia.** Brightness of the spectrum for the color blind—716(A)
van Heel, A. C. S. Correcting the spherical and chromatic aberrations of the eye—237
—— Method for precision alignments—242
Heggen, George E. (see Strock, Lester W.)—719(A)
Hemmendinger, Henry (see Urbach, Franz)—372
Hendley, Charles D. Relation between visual acuity and brightness discrimination—714(A)
—— (see Lamar, Edward S.)—714(A)
Herscher, L. W. (see Wright, N.)—195
Herzberger, M. Light distribution in the optical image—721(A)
—— Limitations of optical image formation—358(A)
—— **and H. O. Hoadley.** Calculation of aspherical correcting surfaces—334, 350(A)
Hess, H. (see Jacobsohn, S.)—712(A)
Hibbert, Lawrence J. (see Dull, Bernice Beisel)—53
Higgins, George C. (see Jones, Lloyd A.)—203
Hoadley, H. O. (see Herzberger, M.)—334, 350(A)
Hodge, Edwin S. (see Shenk, John H.)—361(A), 569
Holmes, J. R. (see Nisewanger, C. R.)—581
Hopkins, R. E. Aspheric corrector plates for magnifiers—604
—— (see Evans, J. C.)—721(A)
—— **and D. P. Feder.** Trigonometric tables of optical calculations—721(A)
Hsia, Yun (see Hecht, Selig)—716(A)
Hsueh, Chao-Wang. Light source for the primary standard of wave-length—160
Hubbard, Ruth (see Griffin, Donald R.)—360(A)
Hudson, Douglas Rennie. Longitudinal inversion of optical images-Subjective or objective?—492(L)
Huggins, Maurice L. Optical summation of Fourier series to give pictures of crystal structures—364(A)
Hulburt, E. O. Optics of searchlight illumination—483
—— (see Knoll, H. A.)—480
—— (see Tousey, R.)—358(A)
Humphreys, C. J. (see Kiess, C. C.)—357(A)
—— (see Plyler, Earle K.)—716(A)
Hunter, Richard S. Glossmeter for smoothness comparisons of machine-finished surfaces—178
—— Heliographic signaling mirrors—110
—— Null-method haze meter—717(A)
Huxford, Walter S. and John R. Platt. Spectra and time-lag phenomena in the concentrated arc—361(A)
Hyde, W. L. (see Billings, B. H.)—354(A)

Imus, Henry A. Performance test of stereopsis—714(A)

Jacobsohn, S., E. Beloian, and H. Hess. Rapid non-destructive method of determining the refractive index of lens elements using a spectrometer—712(A)
Jahn, Theodore Louis. Brightness discrimination and visual actuity as functions of intensity—83
—— Color vision and color blindness. Mechanism in terms of modern evidence—595
—— Kinetics of visual dark adaptation—659
—— Visual critical flicker frequency as a function of intensity—76
Jaycox, Edwin K. Spectrochemical analysis of nickel alloys—719(A)
Jenkins, F. A. and I. S. Bowen. Transparency of ocean water—617
Jewell, W. R. and Julian M. Blair. Circuit for the control of an electromagnetic shutter for a sensitometer—177(L)
Jones, Loyd A. and George C. Higgins. Photographic granularity and graininess. II. Effects of variations in instrumental and analytical techniques—203
Jones, R. Clark. Experimental determination of the matrix of a crystalline plate—710(A)
—— Steady-state load curves of bolometer elements—355(A)
—— Steady-state load curves for semi-conductor bolometers—448
Judd, Deane B. Letter to the Editor—120(L)
—— (see Reimann, Genevieve)—128, 366(A)
Jupnik, Helen, Harold Osterberg, and G. E. Pride. Phase microscopy with vertical illumination—710(A)

Karrer, Enoch and Rollin S. Orr. Photoelectric refractometer—42
Kê, T'ing-Sui. Spectroscopic light sources for invisible ultraviolet—719(A)
Keegan, Harry J. Specification of the colors of the A.S.A. safety color code—367(A)
—— (see Gibson, Kasson S.)—366(A)
—— (see Reimann, Genevieve)—128, 366(A)
Kiess, C. C., C. J. Humphreys, and D. D. Laun. Description and analysis of the first spectrum of uranium—357(A)
King, Carl M. Lens to supplant the spectrograph slit—164
King, Peter and Luther B. Lockhart. Experimental and theoretical results in two-layer low reflecting coatings for glass—513
Kingslake, R. Classification of photographic lens types—251
Knoll, H. A., R. Tousey, and E. O. Hulburt. Visual thresholds of steady point sources of light in fields of brightness from dark to daylight—480
Kremers, H. C. Optical silver chloride—349(A)
van Kreveld, A. Improvement of photographic color rendering by correction filters—412

Lamar, Edward S., Selig Hecht, Simon Shlaer, and Charles D. Hendley. Size, shape, and contrast in the daytime detection of targets—714(A)
Land, E. H. Plastic optics—349(A)
—— (see Blout, E. R.)—361(A), 460
Langton, William G. Fast sensitive metal bolometer—355(A)
Laun, D. D. (see Kiess, C. C.)—357(A)
Leverenz, H. W. and E. J. Wood. Some recent results from experimentation with infra-red -sensitive phosphors—353(A)

Levy, S. and O. W. Christine. Use of heterochromous lines in spectrographic photometry—503; Erratum—707
Lindhurst, R. W., M. F. Hasler, and H. W. Dietert. Quantometer, a complete, direct-reading instrument for spectrochemical analysis—358(A)
Little, Elbert P. Photoelectric spectrophotometer for the Schumann region—168
Lockhart, Luther B. (see King, Peter)—513
Lockhart, Luther B. Jr. (see Tanner, Howard A.)—701
Loh, H. Y. (see Dieke, G. H.)—185
Luckiesh, Matthew and A. H. Taylor. Transmittance and reflectance of germicidal (λ2537) energy—227

MacAdam, David L. Macular pigmentation and color discrimination—365(A)
Mahan, A. I. Further studies of focal plane anomalies in roof prisms—713(A)
McDonald, Robert S. (see Gore, Robert C.)—715(A)
McKinney, David S. and Robert A. Friedel. Calibration method for infra-red prisms spectrometers—715(A)
McNally, J. Rand, Jr., George R. Harrison, and Eugene Rowe. Hollow cathode source applicable to spectrographic analysis for the halogens and gases—358(A)
Meggers, William F. Spectroscopy, past, present, and future—357(A), 431
Meister, George and Rudolph Nagy. Causes of early loss of light output of fluorescent lamps—696
Middleton, W. E. Knowles. Letter to the Editor—707(L)
Miller, N. F. and C. E. Barnett. Infra-red sensitive phosphors from zinc and cadmium sulfides—352(A)
Milne, Gordon G. Preparation of phosphor screens for the icaroscope—709(A)
Milner, B. I. (see Saunderson, J. L.)—36
Milton, Robert M. (see Andrews, Donald H.)—353(A), 518
Mitchell, D. E. and R. Tousey. Photometer for visual transmission of extremely dense filters—362(A)
Moffitt, G. W. Compensation of flexure in range finders and sighting telescopes—713(A)
Molby, Fred A. Refractive index of optical glasses at low temperatures—350(A)
Moon, Parry and Domina Eberle Spencer. International names in colorimetry—427(L)
—— **and Domina Eberle Spencer.** Study of photometric nomenclature—666
—— **and Domina Eberle Spencer.** Trichromatic units—306(L)
—— **and Domina Eberle Spencer.** Units in the trichromatic system—120(L)
Mooney, Robert L. Theory of an efficient interference filter—256
Moore, H. R. (see Becker, J. A.)—354(A)
Morris, Robert J. (see Shenk, John H.)—361(A), 569
Mullin, Harold R. (see Scribner, Bourdon F.)—357(A)
Myers, Vernon. Statistical fluctuations in the temperature of a bolometer—428(L)

Nagy, Rudolph (see Meister, George)—696
Newhall, Sidney M. Concerning the color of the Purkinje blue arcs—60(L)
Nielsen, A. H. (see Bell, E. E.)—355(A)
Nielsen, H. H. (see Bell, E. E.)—355(A)
Nisewanger, C. R., J. R. Holmes, and G. L. Weissler. Electrodeless discharges at high frequencies and low pressures—581

O'Brien, Brian. Brightness limiting phosphor telescope with selective action on the brighter portions of an image—709(A)
—— Development of infra-red sensitive phosphors—351(A), 369
—— Theory of the Stiles-Crawford effect—506
Oetjen, Robert A. (see Roemer, Hermann)—47
——, **William M. Ward, and June A. Robinson.** Simple cell for spectroscopic examination of volatile liquids—615(L)
Ogle, Kenneth N. Theory of the space-eikonometer—20
Orr, Rollin S. (see Karrer, Enoch)—42
Osterberg, H. Method of analysis of light polarizing systems—364(A)
—— Inhomogeneous light polarizing systems—469
—— "Polanret" microscopy—710(A)
—— (see Jupnik, Helen)—710(A)
Oxley, Charles L. Characteristics of cooled lead sulfide photo-conductive cells—356(A)

Paul, Fred W. Experiments on the use of infra-red sensitive phosphors in photography of the spectrum—175
—— Infra-red spectrography with phosphorescent materials—352(A)
Pearlman, Donald (see Urbach, Franz)—372
—— **and Franz Urbach.** Saturation phenomena in phosphors of short duration—709(A)
Peckham, Robert H. Military sun glasses—365(A)
Pfund, A. H. Aging of glass surfaces—95
—— Improved selenium polarizer for the infra-red—715(A)
—— (see Fastie, Wm. G.)—362(A)
Pickett, Edward E. (see Shenk, John H.)—361(A), 569
Platt, John R. (see Huxford, Walter S.)—361(A)
Plyler, Earle K., R. Stair, and Curtis J. Humphreys. Infra-red adsorption spectra of twelve cyclopentanes and cyclohexanes—716(A)
Polster, Harry D. Theory of the multilayer filter—350(A)
Pride, G. E. Reflectance measuring attachment for the Beckman spectrophotometer—367(A), 510
—— (see Jupnik, Helen)—710(A)
Pulling, N. H. (see Ballard, S. S.)—360(A)
—— **and S. S. Ballard.** Naval requirements for telescope design—360(A)

Rand, Gertrude (see Hardy, LeGrand H.)—86, 610
Rank, D. H. Calibration of a set of master wedges—116
—— Correction of imperfect weak cylindrical lenses—172
—— Effect of modifying the spherical aberration on the resolution of a lens erecting telescope—302
—— Measurement of the radius of curvature of concave spheres—108
—— Modified Rayleigh scattering in a liquid—299

—— Resonance spectrum of iodine—239
—— **and J. A. Van Horn.** Fine structures in Raman spectra—454
—— **and R. V. Wiegand.** Photoelectric Raman spectrograph for quantitative analysis—325
Reimann, Genevieve and Earl J. Carmine. Device to facilitate the reading of spectrophotometric curves—235
——, **Deane B. Judd, and Harry J. Keegan.** Spectrophotometric and colorimetric determination of the colors of the TCCA standard color cards—128, 366(A)
Reimert, L. J. Photoelectric properties of metals in a finely divided state—278
Richardson, David (see Barnes, R. Bowling)—52
Rittler, M. Catherine (see Hardy, LeGrand H.)—86, 610
Robinson, Howard A. Evaulation of colorimetric tristimulus values by means of a new centroid method—270, 366(A)
Robinson, June A. (see Oetjen, Robert A.)—615(L)
Roemer, Hermann and Robert A. Oetjen. Two bilateral spectrograph slits—47
Rowe, Eugene. (see McNally, J. Rand, Jr.)—358(A)

Saunderson, J. L. (see Caldecourt, V. J.)—99
—— **and H. H. Grossman.** Simultaneous linear equations in absorption spectrophotometry and mass spectrometry—243(L)
—— **and B. I. Milner.** Modified chromatic value color space—36
Schulz, L. G. Quantitative tests for off-axis parabolic mirrors—588
Scott, Noel W. Simple method for producing good front surface mirrors—711(A)
Scribner, B. F. Spectrographic standard samples of aluminum alloys—706
—— **and Harold R. Mullin.** Carrier-distillation method for spectrographic analysis and its application to the analysis of uranium-base materials—357(A)
Shenk, John H., Edwin S. Hodge, Robert J. Morris, Edward E. Pickett, and Wallace R. Brode. Filters for the visible and near infra-red regions—361(A)
——, **Edwin S. Hodge, Robert J. Morris, Edward E. Pickett, and Wallace R. Brode.** Plastic filters for the visible and near infra-red regions—569
Shepherd, R. G. Jr. (see Blout, E. R.)—361(A), 460
Shlaer, Simon (see Lamar, Edward S.)—714(A)
Shurcliff, W. A. Means, involving visual range light only, whereby own troops can see better than enemy troops at night—427(L)
—— **and E. I. Stearns.** Use of a constant-hue flickering filter to distinguish poor imitation from real green foliage—478
Silberstein, Ludwik. On two accessories of three-dimensional colorimetry. I. Probable error of colorimetric tensor components as derived from a number of color matchings. II. Determination of the principal colorimetric axes at any point of the color threefold—464
Slussareff, G. Reply to Max Reiss—707(L)
Speiser, Rudolph (see Brice, B. A.)—363(A)
—— **and B. A. Brice.** Light scattering photometer for determining high molecular weights—364(A)
Spencer, Domina Eberle (see Moon, Parry)—120(L), 306(L), 427(L), 666
Stair, R. (see Plyler, Earle K.)—716(A)
Stamm, Robert F. and John J. Whalen. Energy distribution of diffraction gratings as a function of groove form—2
Stearns, E. I. (see Shurcliff, W. A.)—478
Stephens, Robert E. Computation of aspheric surfaces for the correction of spherical aberration—721(A)
—— Design of Taylor-type triplet lenses—721(A)
Stern, Joshua. Interference in thin parallel surfaced transparent plates as a source of error in spectroquantitative analysis—654
Stiles, W. S. Basic sensation curves of the three-color theory—491(L)
Stockbarger, Donald C. Artificial fluorite crystals—349(A)
Strock, Lester W. Importance of electrode dimension control in d.c. arc spectrochemical analysis—357(A)
—— **and George E. Heggen.** Use of incompletely consumed samples to reduce effect of fractional distillation in carbon arc spectrochemical analysis—719(A)
Strong, John. Method of making unsupported thin films—355(A)
—— New galvanometer for radiometric measurements at low frequencies—716(A)
Sweet, Monroe H. Logarithmic photo-multiplier tube circuit—720(A)

Tanner, Howard A. and Luther B. Lockhart, Jr. German reflection reducing coatings for glass—701
Taylor, A. H. (see Luckiesh, Matthew)—227
Thomas, A. (see Blout, W. R.)—361(A), 460
Tousey, R. (see Knoll, H. A.)—480
—— (see Mitchell, D. E.)—362(A)
—— **and E. O. Hulburt.** Brightness and polarization of the daylight sky—358(A)
Townsley, M. G. and P. C. Foote. Autocollimator for precise measurement of flange focal distances—712(A)
Tufts, C. F. (see Boettner, E. A.)—720(A)
Turner, A. F. Increasing the reflectance of metals with multiple films—711(A)

Urbach, Franz. Storage and release of energy in phosphors of long duration—351(A)
—— (see Pearlman, Donald)—709(A)
——, **Donald Pearlman, and Henry Hemmendinger.** On infra-red sensitive phosphors—372

Van den Akker, J. A. Multi-step sector photometer—561
Van Horn, J. A. (see Rank, D. H.)—454
Vine, Allyn (see Ewing, Maurice)—307
de Vries, H. L. On the basic sensation curves of the three-color theory—121

Wald, George (see Griffin, Donald R.)—359(A), 360(A)
Walls, Gordon L. Axially image-inversion—615(L)

Ward, Roland. Preparation and properties of infra-red sensitive strontium selenide and sulfide-selenide phosphors—351(A)
Ward, William M. (see Oetjen, Robert A.)—615(L)
Washer, Francis E. and Helen Brubaker Williams. Precision of telescope pointing for outdoor targets—400
Weiss, Richard A. Pneumatic radiant energy detector—356(A)
Weissler, G. L. (see Misewanger, C. R.)—581
West, C. D. (see Blout, E. R.)—460
Whalen, John J. (see Stamm, Robert F.)—2
White, John U. Simple infra-red spectrometer recording directly in optical density—362(A)
—— (see Gore, Robert C.)—715(A)
Wiegand, R. V. (see Rank, D. H.)—325
Williams, Ferd E. Some new aspects of germanate and fluoride phosphors—353(A)
Williams, Helen Brubaker (see Washer, Francis E.)—400
Williams, Van Zandt (see Gore, Robert C.)—715(A)
Wood, E. J. (see Leverenz, H. W.)—353(A)
Wood, R. W. Concave replica gratings, and a new method of employing echelettes—715(A)
Woodson, Robert A. (see Foote, P. C.)—721(A)
Worzel, J. L. (see Ewing, Maurice)—307
Wright, N. and L. W. Herscher. Recording infra-red analyzers for butadiene and styrene plant streams—195
Wundheiler, Alexander W. On the metric of color space—288
Wurzberg, F. L. Jr. (see Hardy, Arthur C.)—717(A), 718(A)

JOURNAL OF THE OPTICAL SOCIETY OF AMERICA VOLUME 36, NUMBER 12 DECEMBER, 1946

Analytic Subject Index to Volume 36

References with (A) are to abstracts of papers presented at meetings of the Optical Society of America, (L) designates Letters to the Editor.

Absorption, including absorption spectra
Contrast reduction by the atmosphere along inclined paths of sight, Seibert Q. Duntley—713(A)
Infra-red absorption spectra of twelve cyclopentanes and cyclohexanes, Earl K. Plyler, R. Stair, and Curtis J. Humphreys—716(A)
Simple cell for spectroscopic examination of volatile liquids, Robert A. Oetjen, William M. Ward, and June A. Robinson—615 (L)
Transmission measurements with the Beckman spectrophotometer, Kasson S. Gibson and Margaret M. Balcom—367(A)

Announcements
Adolph Lomb Medal notice—184
Closing date for applications for the National Research Council Predoctoral Fellowships in the natural sciences—12
Convention of optical scientists in Paris—430
Dr. W. W. Coblentz, Ives Medalist for 1945—61
Frederick Ives medal for 1945—frontispiece of February issue
New officers of the Optical Society of America, Rochester division—509

Biological applications
Longitudinal inversion of optical images—subjective or objective? Douglas Rennie Hudson—492(L)
Measurement of ultraviolet radiation useful in heliotherapy, W. W. Coblentz—72
Some effects of ultraviolet and x-ray radiation on the corneal epithelium, Jonas S. Friedenwald and Wilhelm Buschke—365(A)
Transmittance and reflectance of germicidal (λ2537) energy, Matthew Luckiesh and A. H. Taylor—227

Book reviews
Collected abstracts published during 1945 on spectrochemical analysis, compiled by Edwin S. Hodge—554
Collected papers on metallurgical analysis by the spectrograph, D. M. Smith, G. R. Harrison—119
Optical instruments by Earle B. Brown, A. G. Hall—181
Practical optics by B. K. Johnson, Seibert Q. Duntley—182

Color and colorimetry
Basic sensation curves of the three-color theory, W. S. Stiles—491(L)
Brightness of the spectrum for the color blind, Selig Hecht and Yun Hsia—716(A)
Color adaptation to stimuli of different spectral composition but equal I.C.I. specifications, Jozef Cohen—717(A)
Color correction in three-color and four-color printing, Arthur C. Hardy and F. L. Wurzburg, Jr.—718(A)
Color vision and color blindness: a mechanism in terms of modern evidence, Theodore Louis Jahn—595
Comparison of railroad, traffic, and marine signal color specifications, Kasson S. Gibson, Geraldine W. Haupt, and Henry J. Keegan—366(A)
Concerning the color of the Purkinje blue arcs, Sidney M. Newhall—60(L)
Developments of the concept of chromatic value, Elliot Q. Adams—717(A)
Effect of colored lenses upon color discrimination, Dean Farnsworth—365(A)
Evaluation of colorimetric tristimulus values by means of a new centroid method, Howard A. Robinson—270, 366(A)
Improvement of photographic color rendering by correction filters, A. van Kreveld—412

Influence of the Stiles-Crawford effect on measurements with the Pulfrich photometer, G. Hansen—321
International names in colorimetry, Parry Moon and Domina Eberle Spencer—427(L)
Macular pigmentation and color discrimination, David L. MacAdam—365(A)
Modified chromatic value color space, J. L. Saunderson and B. I. Milner—36
On the basic sensation curves of the three-color theory, Hl. de Vries—121
On the metric of color space, Alexander W. Wundheiler—288
On two accessories of three-dimensional colorimetry. I. The probable error of colorimetric tensor components as derived from a number of color matchings. II. The determination of the principal colorimetric axes at any point of the color threefold, Ludwik Silberstein—464
Photoelectric method of preparing printing plates, Arthur C. Hardy and F. L. Wurzburg, Jr.—717(A)
Screening test for defective red-green vision, LeGrand H. Hardy, Gertrude Rand, and M. Catherine Rittler—610
Specification of the colors of the A.S.A. safety color code, Harry J. Keegan—367(A)
Spectrophotometric and colorimetric determination of the colors of the TCCA standard color cards, Genevieve Reimann, Deane B. Judd, and Harry J. Keegan—128, 366(A)
Theory of an efficient interference filter, Robert L. Mooney—256
Theory of the Stiles-Crawford effect, Brian O'Brien—506
Trichromatic units, Parry Moon and Domina Eberle Spencer—306(L)
Units in the trichromatic system, Parry Moon and Domina Eberle Spencer—120(L)
Use of constant-hue flickering to distinguish poor imitation from real green foliage, W. A. Shurcliff and E. I. Stearns—478

Densitometry

Effect of quality of illumination on the results of the Ishihara test, LeGrand H. Hardy, Gertrude Rand, and M. Catherine Rittler—86

Editorials

Optics in reconversion, George R. Harrison—1
Unity in diversity, George R. Harrison—183

Eye

Axial image-inversion, Gordon L. Walls—615(L)
Brightness discrimination and visual acuity as functions of intensity, Theodore Louis Jahn—83
Color vision and color blindness: a mechanism in terms of modern evidence, Theodore Louis Jahn—595
Contrast thresholds of the human eye, H. Richard Blackwell—624, 714(A)
Correcting the spherical and chromatic aberrations of the eye, A.C.S. van Heel—237
Effect of quality of illumination on the results of the Ishihara test, LeGrand H. Hardy, Gertrude Rand, and M. Catherine Rittler—86
Factors affecting the change in refractive power of the eye at high and low illuminations, Donald R. Griffin and George Wald—359(A)
Influence of the Stiles-Crawford effect on measurement with the Pulfrich photometer, G. Hansen—321
Letter to the editor, W. E. Knowles Middleton—707(L)
Macular pigmentation and color discrimination, David L. MacAdam—365(A)
On the basic sensation curves of the three-color theory, Hl. de Vries—121
Performance test of stereopsis, Henry A. Imus—714(A)
Reduction of contrast by the atmosphere, Seibert Q. Duntley—359(A)
Report on survey of optical aids for subnormal vision, V. J. Ellerbrock—679
Screening test for defective red-green vision, LeGrand H. Hardy, Gertrude Rand, and M. Catherine Rittler—610
Sensitivity of human rod and cone vision to infra-red radiation, Donald R. Griffin, Ruth Hubbard, and George Wald—360(A)
Some effects of ultraviolet and x-ray radiation on the corneal epithelium, Jonas S. Friedenwald and Wilhelm Buschke—365(A)
Theory of the space-eikonometer, Kenneth N. Ogle—20
Visibility of objects seen through the atmosphere, Seibert Q. Duntley—359(A)
Visual critical flicker frequency as a function of intensity, Theodore Louis Jahn—76

Filters

Experimental and theoretical results in two-layer low reflecting coatings for glass, Peter King and Luther B. Lockhart—513
Improvement of photographic color rendering by correction filters, A. van Kreveld—412
Increasing the reflectance of metals with multiple films, A. F. Turner—711(A)
Near infra-red transmitting filters, E. R. Blout, W. F. Amon, R. G. Shepherd, Jr., A. Thomas, C. D. West, and E. H. Land—361(A), 460
Plastic filters for the visible and near infra-red regions, John H. Shenk, Edwin S. Hodge, Robert J. Morris, Edward E. Pickett, and Wallace R. Brode—569
Simple method for producing good front surface mirrors, Noel W. Scott—711(A)
Theoretical development of exact solution of reflectance of multiple layer coatings, Doris L. Caballero—710(A)
Theory of an efficient interference filter, Robert L. Mooney—256
Theory of the multilayer filter, Harry D. Polster—350(A)

Fluorescence and phosphorescence

Brightness limiting phosphor telescope with selective action on the brighter portions of an image, Brian O'Brien—709(A)

Causes of early loss of light output of fluorescent lamps, George Meister and Rudolph Nagy—696
Development of infra-red sensitive phosphors, Brian O'Brien—351(A), 369
Effect of wave-length distribution on the brightness of phosphors, R. T. Ellickson—261
Experiments of the use of infra-red sensitive phosphors in photography of the spectrum, Fred W. Paul—175
Fluorescence of phosphors in rare gases, N. C. Beese —493
Infra-red sensitive phosphors from zinc and cadmium sulfides, N. F. Miller and C. E. Barnett—352(A)
Infra-red spectrography with phosphorescent materials, Fred W. Paul—352(A)
Light storage in infra-red sensitive phosphors, R. T. Ellickson—501
Light sum of phosphors under thermal and infra-red stimulation, R. T. Ellickson—264
On infra-red sensitive phosphors, Franz Urbach, Donald Pearlman, and Henry Hemmendinger—372
Preparation and characteristics of zinc sulfide phosphors sensitive to infra-red, Gorton R. Fonda—352(A), 382
Preparation and properties of infra-red sensitive strontium selenide and sulfide-selenide phosphors, Roland Ward—351(A)
Preparation of phosphor screens for the icaroscope, Gordon G. Milne—709(A)
Saturation phenomena in phosphors of short duration, Donald Pearlman and Franz Urbach—709(A)
Some new aspects of germanate and fluoride phosphors, Fred E. Williams—353(A)
Some recent results from experimentation with infra-red sensitive phosphors, H. W. Leverenz and E. J. Wood —353(A)
Storage and release of energy in phosphors of long duration, F. Urbach—351(A)
Temperature effects of fluorescence and phosphorescence phenomena associated with irradiations by alpha-particles, M. M. Blau and J. R. Carlin—709(A)

Glass, properties of

Aging of glass surfaces, A. H. Pfund—95
Refractive index of optical glasses at low temperatures, Fred A. Molby—350(A)

Illumination

Brightness and polarization of the daylight sky, R. Tousey and E. O. Hulburt—358(A)
Causes of early loss of light output of fluorescent lamps, George Meister and Rudolph Nagy—696
Fast superconducting bolometer, Donald H. Andrews, Robert M. Milton, and Warren DeSorbo—518
Illuminator for use in metallographic microscopy, Ernest E. Fairbanks—244(L)
Light distribution in the optical image, M. Herzberger—721(A)
Optics of searchlight illumination, E. O. Hulburt—483
Photographic use of electric discharge flashtubes, Harold E. Edgerton—390
Reply to Max Reiss, G. Slussareff—707(L)
Visual thresholds of steady point sources of light in fields of brightness from dark to daylight, H. A. Knoll, R. Tousey, and E. O. Hulburt—480

Infra-red

Calibration method for infra-red prism spectrometers, David S. McKinney and Robert A. Friedel—715(A)
Comparative studies of the performance of infra-red receivers, E. E. Bell, R. F. Buhl, A. H. Nielsen, and H. H. Nielsen—355(A)
Comparison of LiF and CaF_2 prisms for infra-red use, Robert C. Gore, Robert S. McDonald, Van Zandt Williams, and John U. White—715(A)
Development of infra-red sensitive phosphors, Brian O'Brien—351(A), 369
Developments in the detection of infra-red radiation in the 10-micron region, O. S. Duffendack—353(A)
Evaporated-metal bolometer for use in high speed recording systems, B. H. Billings, W. L. Hyde, and E. E. Barr—354(A)
Experiments of the use of infra-red sensitive phosphors in photography of the spectrum, Fred W. Paul—175
Improved selenium polarizer for the infra-red, A. H. Pfund—715(A)
Infra-red absorption spectra of twelve cyclopentanes and cyclohexanes, Earl K. Plyler, R. Stair, and Curtis J. Humphreys—716(A)
Infra-red gas analysis, G. Fastie and A. H. Pfund—362(A)
Infra-red sensitive phosphors from zinc and cadmium sulfides, N. F. Miller and C. E. Barnett—352(A)
Infra-red spectrography with phosphorescent materials, Fred W. Paul—352(A)
Light storage in infra-red sensitive phosphors, R. T. Ellickson—501
Light sum of phosphors under thermal and infra-red stimulation, R. T. Ellickson—264
Near infra-red transmitting filters, E. R. Blout, W. F. Amon, Jr., R. G. Shepherd, Jr., A. Thomas, C. D. West, and E. H. Land—361(A), 460
On infra-red sensitive phosphors, Franz Urbach, Donald Pearlman, and Henry Hemmendinger—372
Plastic filters for the visible and near infra-red regions, John H. Shenk, Edwin S. Hodge, Robert J. Morris, Edward E. Pickett, and Wallace R. Brode—569
Preparation and characteristics of zinc sulfide phosphors sensitive to infra-red, Gorton R. Fonda—352(A), 382
Preparation and properties of infra-red sensitive strontium selenide and sulfide-selenide phosphors, Roland Ward—351(A)
Production and properties of nickel bolometers, Frank G. Brockman—32
Rapid response thermopiles, Louis Harris—597
Recording infra-red analyzers for butadiene and styrene plant streams, N. Wright and L. W. Herscher—195
Saturation phenomena in phosphors of short duration, Donald Pearlman and Franz Urbach—709(A)
Simple infra-red spectrometer recording directly in optical density, John U. White—362(A)

Some recent results from experimentation with infra-red sensitive phosphors, H. W. Leverenz and E. J. Wood —353(A)
Storage and release of energy in phosphors of long duration, F. Urbach—351(A)
Thermistor bolometer detecting system for infra-red spectrometers, J. A. Becker and H. R. Moore—354(A)

Intensity measurements

Automatic recording photoelectric goniophotometer, Seibert Q. Duntley—347(A)
Logarithmic photo-multiplier tube circuit, Monroe H. Sweet—720(A)
New galvanometer for radiometric measurements at low frequencies, John Strong—716(A)
Note on the effect of plate calibration errors in spectrographic analysis, E. Fast—424
Photoelectric spectrophotometer for the Schumann region, Elbert P. Little—168
Photo-multiplier tube characteristics, Ralph W. Engstrom—720(A)
Spectral intensity measurements with photo-tubes and the oscillograph, G. H. Dieke, H. Y. Loh, and H. M. Crosswhite—185
Statistical fluctuations in the temperature of a bolometer, Vernon Myers—428
Steady-state load curves for semi-conductor bolometers, R. Clark Jones—448

Interference

Direct determination of wave-lengths from Fabry-Perot interferometer patterns, George R. Harrison—644
Interference in thin parallel surfaced transparent plates as a source of error in spectro-quantitative analysis, Joshua Stern—654
Theory of an efficient interference filter, Robert L. Mooney—256

Lenses

Apochromatic photographic lenses of long focal length, James G. Baker—722(A)
Application of a spherical reflector and aspherical correcting lens to CRT projection television, D. W. Epstein—350(A)
Aspheric corrector plates for magnifiers, R. E. Hopkins—604
Autocollimator for precise measurement of flange focal distances, M. G. Townsley and P. C. Foote—712(A)
Calculations of aspherical correcting surfaces, M. Herzberger and H. O. Hoadley—334, 350(A)
Classification of photographic lens types, R. Kingslake—251
Computation of aspheric surfaces for the correction of spherical aberration, Robert E. Stephens—721(A)
Correction of imperfect weak cylindrical lenses, D. H. Rank—172
Design of Taylor-type triplet lenses, Robert E. Stephens —721(A)
Development of new optical materials, Theodore Dunham, Jr.—349(A)
Effect of colored lenses upon color discrimination, Dean Farnsworth—365(A)
Effect of modifying the spherical aberration on the resolution of a lens erecting telescope, D. H. Rank—302
German reflection reducing coatings for glass, H. A. Tanner and Luther B. Lockhart, Jr.—701
Hardening of ophthalmic lenses, Harry B. Deuberry—712(A)
Lens design and tolerance analysis methods and results, P. C. Foote and Robert A. Woodson—721(A)
Lens to supplant the spectrograph slit, Carl M. King—164
Light distribution in the optical image, M. Herzberger —721(A)
Limitations of optical image formation, M. Herzberger —358(A)
Measurements of the radius of curvature of concave spheres, D. H. Rank—108
On the primary chromatic coefficients of a lens system, F. D. Cruickshank—103
On the theory of computation of an aspherical surface, A. Estelle Glancy—416
Paraxial differential transfer coefficients of a lens system, F. D. Cruickshank—13
Rapid non-destructive method of determining the refractive index of lens elements using a spectrometer, S. Jacobsohn, E. Beloian, and H. Hess—712(A)
Reply to Max Reiss, G. Slussareff—707(L)
Trigonometrical correction of microscope objectives, F. D. Cruickshank—296

Letters to the Editor

Axial image-inversion, Gordon L. Walls—615(L)
Circuit for the control of an electromagnet shutter for a sensitometer, W. R. Jewell and Julian M. Blair—177(L)
Concerning the color of the Purkinje blue arcs, Sidney M. Newhall—60(L)
Letter to the editor, Deane B. Judd—120(L)
Letter to the editor, W. E. Knowles Middleton—707(L)
Means, involving visual range light only, whereby own troops can see better than enemy troops at night, W. A. Shurcliff—427(L)
On testing the angles of reflecting prisms, W. F. C. Ferguson—244(L)
Reply to Max Reiss, G. Slussareff—707(L)
Simple cell for spectroscopic examination of volatile liquids, Robert A. Oetjen, William M. Ward, and June A. Robinson—615(L)
Simultaneous linear equations in absorption spectrophotometry and mass spectrometry, J. L. Saunderson and H. H. Grossman—243(L)
Some suggestions for the nomenclature of radiation, Elliot Q. Adams—358(A), 429(L)
Trichromatic units, Parry Moon and Domina Eberle Spencer—306(L)
Units in the trichromatic system, Parry Moon and Domina Eberle Spencer—120(L)

Light sources, properties and measurements

Causes of early loss of light output of fluorescent lamps, George Meister and Rudolph Nagy—696

Cesium vapor lamps, N. C. Beese—555

Combination of arc-spark source for magnesium analysis, V. J. Caldecourt and J. L. Saunderson—99

Concentrated-arc lamp, W. D. Buckingham and C. R. Deibert—245, 361(A)

Electrodeless discharges at high frequencies and low pressures, C. R. Nisewanger, J. R. Holmes, and G. L. Weissler—581

Light source for the primary standard of wave-length, Chao-Wang Hsueh—160

Photographic use of electrical discharge flashtubes, Harold E. Edgerton—390

Radioactive light sources, M. Blau and I. Feuer—576

Simple monochromatic source, R. Bowling Barnes, David Richardson, and John W. Berry—52

Spectra and time-lag phenomena in the concentrated arc, Walter S. Huxford and John R. Platt—361(A)

Spectroscopic light sources for invisible ultraviolet, T'ing-sui Kê—719(A)

Study concerning characteristics of the high voltage a.c. arc, E. A. Boettner and C. F. Tufts—720(A)

Meetings

Minutes of the twenty-seventh meeting of the Board of Directors of the Optical Society of America, Incorporated—341

Minutes of the twenty-eighth meeting of the Board of Directors of the Optical Society of America, Incorporated—723

Proceedings of the thirty-first annual meeting of the Optical Society of America, Incorporated—708

Microscopy

Illuminator for use in metallographic microscopy, Ernest E. Fairbanks—244(L)

Phase microscopy with vertical illumination, Helen Jupnik, Harold Osterberg, and G. E. Pride—710(A)

"Polanret" microscopy, Harold Osterberg—710(A)

Trigonomentrical correction of microscope objectives, F. D. Cruickshank—296

Optical instruments

Apparatus for determining spherical aberration of convex surface of paraboloid of revolution, Benjamin Goldberg and Nels C. Benson— 712(A)

Atmospheric limitations on the performance of telescopes, Arthur C. Hardy—283

Brightness limiting phosphor telescope with selective action on the brighter portions of an image, Brian O'Brien—709(A)

Calibration of a set of master wedges, D. H. Rank—116

Classification of photographic lens types, R. Kingslake—251

Color correction in three-color and four-color printing, Arthur C. Hardy and F. L. Wurzburg, Jr.—718(A)

Comparator-photometer for routine inspection of light-transmitting covers for aircraft lights, John A. Bartlett and Florence L. Douglas—363(A)

Comparison of LiF and CaF_2 prisms for infra-red use, Robert C. Gore, Robert S. McDonald, Van Zandt Williams, and John U. White—715(A)

Compensation of flexure in range finders and sighting telescopes, G. W. Moffitt—713(A)

Concave replica gratings, and a new method of employing echelettes, R. W. Wood—715(A)

Device to facilitate the reading of spectrophotometric curves, Genevieve Reimann and Earl J. Carmine—235

Differential refractometer, B. A. Brice and Rudolph Speiser—363(A)

Electronic methods for solving simultaneous equations with special reference to color correction in color printing, Arthur C. Hardy and Edward C. Dench—718(A)

Energy distribution of diffraction gratings as a function of groove form, Robert F. Stamm and John J. Whalen—2

Evaporated-metal bolometer for use in high speed recording systems, B. H. Billings, W. L. Hyde, and E. E. Barr—354(A)

Fast sensitive metal bolometer, William G. Langton—355(A)

Fast superconducting bolometer, Donald H. Andrews, Robert M. Milton, and Warren DeSorbo—518

Further studies of focal plane anomalies in roof prisms, A. I. Mahan—713(A)

German naval optical instruments, S. S. Ballard and N. H. Pulling—360(A)

Glossmeter for smoothness comparisons of machine-finished surfaces, Richard S. Hunter—178

Heliographic signaling mirrors, Richard S. Hunter—110

Illuminator for use in metallographic microscopy, Ernest E. Fairbanks—244(L)

Inhomogeneous light polarizing systems, Harold Osterberg—469

Light scattering photometer for determining high molecular weights, Rudolph Speiser and B. A. Brice—354(A)

Logarithmic photo-multiplier tube circuit, Monroe H. Sweet—720(A)

Military sun glasses, Robert H. Peckman—365(A)

New galvanometer for radiometric measurements at low frequencies, John Strong—716(A)

New photo-conductive cells, R. J. Cashman—356(A)

Null-method haze meter, Richard S. Hunter—717(A)

On the theory of computation of an aspherical surface, A. Estelle Glancy—416

Optical characteristics and applications of beam splitting pellicles, Franklin S. Cooper—363(A)

Optics of searchlight illumination, E. O. Hulburt—483

Phase microscopy with vertical illumination, Helen Jupnik, Harold Osterberg, and G. E. Pride—710(A)

Photoelectric refractometer, Enoch Karrer and Rollin S. Orr—42

Photoelectric method of preparing printing plates, Arthur C. Hardy and F. L. Wurzburg, Jr.—718(A)

Photoelectric spectrophotometer for the Schumann region, Elbert P. Little—168

Photo-multiplier tube characteristics, Ralph W. Engstrom—720(A)
Pneumatic radiant energy detector, Richard A. Weiss—356(A)
"Polanret" microscopy, Harold Osterberg—710(A)
Precision of telescope pointing for outdoor targets, Francis E. Washer and Helen Brubaker Williams—400
Preparation of phosphor screens for the icaroscope, Gordon G. Milne—709(A)
Production and properties of nickel bolometers, Frank G. Brockman—32
Rapid response thermopiles, Louis Harris—597
Reflectance measuring attachment for the Beckman spectrophotometer, G. E. Pride—510
Screen-line tests of paraboloidal reflectors, D. H. Hamsher—291
Simple method for producing good front surface mirrors, Noel W. Scott—711(A)
Statistical fluctuations in the temperature of a bolometer, Vernon Myers—428(L)
Steady-state load curves of bolometer elements, R. Clark Jones—355(A)
Steady-state load curves for semi-conductor bolometers, R. Clark Jones—448
Theory of the space-eikonometer, Kenneth N. Ogle—20
Thermistor bolometers, W. H. Brattain and J. A. Becker—354(A)
Two bilateral spectrograph slits, Hermann Roemer and Robert A. Oetjen—47
Use of constant-hue flickering to distinguish poor imitation from real green foliage, W. A. Shurcliff and E. I. Stearns—478

Optical materials

Aging of glass surfaces, A. H. Pfund—95
Artificial fluorite crystals, Donald C. Stockbarger—349(A)
Comparison of LiF and CaF_2 prisms for infra-red use, Robert C. Gore, Robert S. McDonald, Van Zandt Williams, and John U. White—715(A)
Development of new optical materials, Theodore Dunham—349(A)
Optical silver chloride, H. C. Kremers—349(A)
Plastic optics, E. H. Land—349(A)

Optical Society of America reports

Annual report of the editor of publications—342
Annual report of the secretary of the Optical Society of America, Incorporated, for the calendar year 1945—343
Annual report of the treasurer of the Optical Society of America for the fiscal year 1945—345
Minutes of the twenty-eighth meeting of the Board of Directors of the Optical Society of America, Incorporated—723
Proceedings of the thirty-first annual meeting of the Optical Society of America, Incorporated—708
Proceedings of the winter meeting of the Optical Society of America, Incorporated—347

Optical testing

Atmospheric limitations on the performance of telescopes, Arthur C. Hardy—283
Autocollimator for precise measurement of flange focal distances, M. G. Townsley and P. C. Foote—712(A)
Comparative studies of the performance of infra-red receivers, E. E. Bell, R. F. Buhl, A. H. Nielsen, and A. H. Nielsen—353(A)
Comparator-photometer for routine inspection of light-transmitting covers for aircraft lights, John A. Bartelt and Florence L. Douglas—363(A)
Comparison of railroad, traffic, and marine signal color specifications, Kasson S. Gibson, Geraldine W. Haupt, and Harry J. Keegan—366(A)
Compensation of flexure in range finders and sighting telescopes, G. W. Moffitt—713(A)
Differential refractometer, B. A. Brice and Rudolph Speiser—363(A)
Further studies of focal plane anomalies in roof prisms, A. I. Mahan—713(A)
Glossmeter for smoothness comparisons of machine-finished surfaces, Richard S. Hunter—178
Light distribution in the optical image, M. Herzberger—721(A)
Method for precision alignments, A.C.S. van Heel—242
Null-method haze meter, Richard S. Hunter—717(A)
On testing the angles of reflecting prisms, W. F. C. Ferguson—244(L)
Optics of searchlight illumination, E. O. Hulburt—483
Precision of telescope pointing for outdoor targets, Francis E. Washer and Helen Brubaker Williams—400
Quantitative tests for off-axis parabolic mirrors, L. G. Schulz—588
Rapid non-destructive method of determining the refractive index of lens elements using a spectrometer, S. Jacobsohn, E. Beloian, and H. Hess—712(A)
Reflectance measuring attachment for the Beckman spectrophotometer, G. E. Pride—510
Report on survey of optical aids for subnormal vision, V. J. Ellerbrock—679
Screen-line tests of paraboloidal reflectors, D. H. Hamsher—291
Simple infra-red spectrometer recording directly in optical density, John U. White—362(A)
Spectrophotometric and colorimetric determination of the colors of the TCCA standard color cards, Genevieve Reimann, Deane B. Judd, and Harry J. Keegan—128
Statistical fluctuations in the temperature of a bolometer, Vernon Myers—428(L)
Thermistor bolometer detecting system for infra-red spectrometers, J. A. Becker and H. R. Moore—354(A)

Optics, general

Heliographic signaling mirrors, Richard S. Hunter—110

Optics, geometrical

Apochromatic photographic lenses of long focal length, James G. Baker—722(A)

Apparatus for determining spherical aberration of convex surface of paraboloid of revolution, Benjamin Goldberg and Nels C. Benson—712(A)
Aspheric corrector plates for magnifiers, R. E. Hopkins—604
Calculation of aspherical correcting surfaces, M. Herzberger and H. O. Hoadley—334, 350(A)
Classification of photographic lens types, R. Kingslake—251
Computation of aspheric surfaces for the correction of spherical aberration, Robert E. Stephens—721(A)
Correcting the spherical and chromatic aberrations of the eye, A. C. S. van Heel—237
Correction of imperfect weak cylindrical lenses, D. H. Rank—172
Design of Taylor-type triplet lenses, Robert E. Stephens—721(A)
Effect of modifying the spherical aberration on the resolution of a lens erecting telescope, D. H. Rank—302
Lens design and tolerance analysis methods and results, P. C. Foote and Robert A. Woodson—721(A)
Limitations of optical image formation, M. Herzberger—358(A)
Mathematical table projector designed for optical calculations, J. C. Evans and R. E. Hopkins—721(A)
Measurements of the radius of curvature of concave spheres, D. H. Rank—108
On testing the angles of reflecting prisms, W. F. C. Ferguson—244(L)
On the primary chromatic coefficients of a lens system, F. D. Cruickshank—103
On the theory of computation of an aspherical surface, A. Estelle Glancy—416
Paraxial differential transfer coefficients of a lens system, F. D. Cruickshank—13
Quantitative tests for off-axis parabolic mirrors, L. G. Schulz—588
Reply to Max Reiss, G. Slussareff—707(L)
Screen-line tests of paraboloidal reflectors, D. H. Hamsher—291
Trigonometrical correction of microscope objectives, F. D. Cruickshank—296
Trigonometric tables of optical calculations, R. E. Hopkins and D. P. Feder—721(A)

Optics, physical

Application of a spherical reflector and aspherical correcting lens to CRT projection television, D. W. Epstein—350(A)
Energy distribution of diffraction gratings as a function of groove form, Robert F. Stamm and John J. Whalen—2
Experimental and theoretical results in two-layer low reflecting coatings for glass, Peter King and Luther B. Lockhart—513
Experimental determination of the matrix of a crystalline plate, R. Clark Jones—710(A)
German reflection reducing coatings for glass, H. A. Tanner and L. B. Lockhart, Jr.—701
Increasing the reflectance of metals with multiple films, A. F. Turner—711(A)
Letter to the editor, W. E. Knowles Middleton—707(L)
Light source for the primary standard of wave-length, Chao-Wang Hsueh—160
Modified Rayleigh scattering in a liquid, D. H. Rank—299
Optical characteristics and applications of beam splitting pellicles, Franklin S. Cooper—363(A)
Optical summation of Fourier series to give pictures of crystal structures, Maurice L. Huggins—364(A)
Photoelectric properties of metals in a finely divided state, L. J. Reimert—278
Radiation in a diffusing medium, Frank Benford—524
Relation between visual acuity and brightness discrimination, Charles D. Hendley—714(A)
Relation of the length of a border to its visibility, Glenn A. Fry—713(A)
Size, shape, and contrast in the daytime detection of targets, Edward S. Lamar, Selig Hecht, Simon Shlaer, and Charles D. Hendley—714(A)
Theoretical development of exact solution of reflectance of multiple layer coatings, Doris L. Caballero—710(A)
Transparency of ocean water, F. A. Jenkins and I. S. Bowen—617

Photoelectricity

Photoelectric properties of metals in a finely divided state, L. J. Reimert—278

Photography, including cameras

Apochromatic photographic lenses of long focal length, James G. Baker—722(A)
Circuit for the control of an electromagnet shutter for a sensitometer, W. R. Jewell and Julian M. Blair—177(L)
German reflection reducing coatings for glass, H. A. Tanner and L. B. Lockhart, Jr.—701
Improvement of photographic color rendering by correction filters, A. van Kreveld—412
Note on the effect of plate calibration errors in spectrographic analysis, E. Fast—424
Photographic granularity and graininess. II. The effects of variations in instrumental and analytical techniques, Loyd A. Jones and George C. Higgins—203
Photographic use of electrical discharge flashtubes, Harold E. Edgerton—390
Photography of the ocean bottom, Maurice Ewing, Allyn Vine and J. L. Worzel—307

Photometry

Automatic recording photoelectric gonio-photometer, Seibert Q. Duntley—347(A)
Calibration of a set of master wedges, D. H. Rank—116
Circuit for the control of an electromagnet shutter for a sensitometer, W. R. Jewell and Julian M. Blair—177(L)
Comparator-photometer for routine inspection of light-transmitting covers for aircraft lights, John A. Bartelt and Florence L. Douglass—363(A)

Fast sensitive metal bolometer, William G. Langton—355(A)
Fast superconducting bolometer, Donald H. Andrews, Robert M. Milton, and Warren DeSorbo—518
Light distribution in the optical image, M. Herzberger 721—(A)
Light scattering photometer for determining high molecular weights, Rudolph Speiser and B. A. Brice—354(A)
Logarithmic photo-multiplier tube circuit, Monroe H. Sweet—720(A)
Multi-step sector photometer, J. A. Van den Akker—561
New light balancing circuit for the non-recording densitometer, R. O'Brien Carpenter—676
New photo-conductive cells, R. J. Cashman—356(A)
Photoelectric spectrophotometer for the Schumann region, Elbert P. Little—168
Photo-multiplier tube characteristics, Ralph W. Engstrom—720(A)
Quantometer, a complete, direct-reading instrument for spectrochemical analysis, R. W. Lindhurst, M. F. Hasler, and H. W. Dietert—358(A)
Reflectance measuring attachment for the Beckman spectrophotometer, G. E. Pride—367(A)
Simple cell for spectroscopic examination of volatile liquids, Robert A. Oetjen, William M. Ward, and June A. Robinson—615(L)
Spectral intensity measurements with photo-tubes and the oscillograph, G. H. Dieke, H. Y. Loh, and H. M. Crosswhite—185
Spectrochemical analysis with the oscillograph, G. H. Dieke and H. M. Crosswhite—192
Statistical fluctuations in the temperature of a bolometer, Vernon Myers—428(L)
Steady-state load curves for semi-conductor bolometers, R. Clark Jones—448
Study of photometric nomenclature, Parry Moon and Domina Eberle Spencer—666

Polarization

Brightness and polarization of the daylight sky, R. Tousey and E. O. Hulburt—358(A)
Improved selenium polarizer for the infra-red, A. H. Pfund—715(A)
Inhomogeneous light polarizing systems, Harold Osterberg—469
Phase microscopy with vertical illumination, Helen Jupnik, Harold Osterberg, and G. E. Pride—710(A)
"Polanret" microscopy, Harold Osterberg—710(A)

Pyrometry

Radiation

Comparative studies of the performance of infra-red receivers, E. E. Bell, R. F. Buhl, A. H. Nielsen, and H. H. Nielsen—355(A)
Developments in the detection of infra-red radiation in the 10-micron region, O. S. Duffendack—353(A)
Evaporated-metal bolometer for use in high speed recording systems, B. H. Billings, W. L. Hyde, and E. E. Barr—354(A)
Fast sensitive metal bolometer, William G. Langton—355(A)
Fast superconducting bolometer, Donald H. Andrews, Robert M. Milton, and Warren DeSorbo—518
Infra-red spectrography with phosphorescent materials, Fred W. Paul—352(A)
Measurement of ultraviolet radiation useful in heliotherapy, W. W. Coblentz—72
Pneumatic radiant energy detector, Richard A. Weiss—356(A)
Radiation in a diffusing medium, Frank Benford—524
Radiation sources for photoelectric radiometry, W. E. Forsythe, E. Q. Adams, and B. T. Barnes—720(A)
Rapid response thermopiles, Louis Harris—597
Some suggestions for the nomenclature of radiation, Elliot Q. Adams—358(A), 429(L)
Steady-state load curves of bolometer elements, R. Clark Jones—355(A)
Theoretical comparison of heat detectors, R. Havens—355(A)
Thermistor bolometer detecting system for infra-red spectrometers, J. A. Becker and H. R. Moore—354(A)
Thermistor bolometers, W. H. Brattain and J. A. Becker—354(A)

Refraction

Photoelectric refractometer, Enoch Karrer and Rollin S. Orr—42
Refractive index of optical glasses at low temperatures, Fred A. Molby—350(A)

Spectrographic analysis

Calibration method for infra-red prism spectrometers, David S. McKinney and Robert A. Friedel—715(A)
Carrier-distillation method for spectrographic analysis and its application to the analysis of uranium-base materials, B. F. Scribner and Harold R. Mullin—357(A)
Combination of arc-spark source for magnesium analysis, V. J. Caldecourt and J. L. Saunderson—99
Experiments of the use of infra-red sensitive phosphors in photography of the spectrum, Fred W. Paul—175
Fine structures in Raman spectra, D. H. Rank and J. A. Van Horn—454
Hollow cathode source applicable to spectrographic analysis for the halogens and gases, J. Rand McNally, Jr., George R. Harrison, and Eugene Rowe—358(A)
Importance of electrode dimension control in d.c. arc spectrochemical analysis, Lester W. Strock—357(A)
Infra-red absorption spectra of twelve cyclopentanes and cyclohexanes, Earl K. Plyler, R. Stair, and Curtis J. Humphreys—716(A)
Infra-red gas analysis, G. Fastie and A. H. Pfund—362(A)
Interference in thin parallel surfaced transparent plates as a source of error in spectro-quantitative analysis, Joshua Stern—654

Lens to supplant the spectrograph slit, Carl M. King—164
Method of quantitative spectrochemical analysis based on line widths, Pierre Coheur—498
Method of semi-quantitative spectrographic analysis, C. E. Harvey—719(A)
Multi-step sector photometer, J. A. Van den Akker—561
New light balancing circuit for the non-recording densitometers, R. O'Brien Carpenter—676
Note on the effect of plate calibration errors in spectrographic analysis, E. Fast—424
Photoelectric Raman spectrograph for quantitative analysis, D. H. Rank and R. V. Wiegand—325
Quantometer, a complete, direct-reading instrument for spectrochemical analysis, R. W. Lindhurst, M. F. Hasler and H. W. Dietert—358(A)
Recording infra-red analyzers for butadiene and styrene plant streams, N. Wright and L. W. Herscher—195
Simple cell for spectroscopic examination of volatile liquids, Robert A. Oetjen, William M. Ward, and June A. Robinson—615(L)
Spectra and time-lag phenomena in the concentrated arc, Walter S. Huxford and John R. Platt—361(A)
Spectral intensity measurements with photo-tubes and the oscillograph, G. H. Dieke, H. Y. Loh, and H. M. Crosswhite—185
Spectrochemical analysis of lead base metals, Bernice Beisel Dull and Lawrence J. Hibbert—53
Spectrochemical analysis of nickel alloys, Edwin K. Jaycox—719(A)
Spectrochemical analysis with the oscillograph, G. H. Dieke and H. M. Crosswhite—192
Spectrographic analysis of high speed tool steel, Charles H. Corliss—357(A)
Spectrographic determination of calcium in microbiological culture media, E. John Eastmond—57
Spectrographic standard samples of aluminum alloys, B. F. Scribner—706
Spectroscopy, past, present, and future, William F. Meggers—431
Study concerning characteristics of the high voltage a.c. arc, E. A. Boettner and C. F. Tufts—720(A)
Use of heterochromous lines in spectrographic photometry, S. Levy and O. W. Christine—503
Use of incompletely consumed samples to reduce effect of fractional distillation in carbon arc spectrochemical analysis, Lester W. Strock and George E. Heggen—719(A)

Spectroscopy; spectrometry; spectrophotometry

Calibration method for infra-red prism spectrometers, David S. McKinney and Robert A. Friedel—715(A)
Comparison of LiF and CaF_2 prisms for infra-red use, Robert C. Gore, Robert S. McDonald, Van Zandt Williams, and John U. White—715(A)
Concave replica gratings, and a new method of employing echelettes, R. W. Wood—715(A)
Description and analysis of the first spectrum of uranium, C. C. Kiess, C. J. Humphreys, and D. D. Laun—357(A)
Device to facilitate the reading of spectrophotometric curves, Genevieve Reimann and Earl J. Carmine—235
Direct determination of wave-lengths from Fabry-Perot interferometer patterns, George R. Harrison—644
Electrodeless discharges at high frequencies and low pressures, C. R. Nisewanger, J. R. Holmes, and G. L. Weissler—581
Energy distribution of diffraction gratings as a function of groove form, Robert F. Stamm and John J. Whalen—2
Experiments of the use of infra-red sensitive phosphors in photography of the spectrum, Fred W. Paul—175
Infra-red absorption spectra of twelve cyclopentanes and cyclohexanes, Earl K. Plyler, R. Stair, and Curtis J. Humphreys—716(A)
Interference in thin parallel surfaced transparent plates as a source of error in spectro-quantitative analysis, Joshua Stern—654
Lens to supplant the spectrograph slit, Carl M. King—164
Method of quantitative spectrochemical analysis based on line widths, Pierre Coheur—498
Multi-step sector photometer, J. A. Van den Akker—561
Photoelectric Raman spectrograph for quantitative analysis, D. H. Rank and R. V. Wiegand—325
Photoelectric spectrophotometer for the Schumann region, Elbert P. Little—168
Production and properties of nickel bolometers, Frank G. Brockman—32
Rapid non-destructive method of determining the refractive index of lens elements using a spectrometer, S. Jacobsohn, E. Beloian, and H. Hess—712(A)
Recording infra-red analyzers for butadiene and styrene plant streams, N. Wright and L. W. Herscher—195
Reflectance measuring attachment for the Beckman spectrophotometer, G. E. Pride—367(A)
Resonance spectrum of iodine, D. H. Rank—239
Simple cell for spectroscopic examination of volatile liquids, Robert A. Oetjen, William M. Ward, and June A. Robinson—615(L)
Simple infra-red spectrometer recording directly in optical density, John U. White—362(A)
Simultaneous linear equations in absorption spectrophotometry and mass spectrometry, J. L. Saunderson and H. H. Grossman—243(L)
Spectral intensity measurements with photo-tubes and the oscillograph, G. H. Dieke, H. Y. Loh, and H. M. Crosswhite—185
Spectrochemical analysis with the oscillograph, G. H. Dieke and H. M. Crosswhite—192
Spectrophotometric and colorimetric determination of the colors of the TCCA standard color cards, Genevieve Reimann, Deane B. Judd, and Harry J. Keegan—128, 366(A)
Spectroscopic light sources for invisible ultraviolet, T'ing-sui Kê—719(A)
Spectroscopy, past, present, and future, William F. Meggers—431

Transmission measurements with the Beckman spectrophotometer, Kasson S. Gibson and Margaret M. Balcom—367(A)
Two bilateral spectrograph slits, Hermann Roemer and Robert A. Oetjen—47
Use of heterochromous lines in spectrographic photometry, S. Levy and O. W. Christine—503; Erratum—707

Transmission
Calibration of a set of master wedges, D. H. Rank—116
Experimental and theoretical results in two-layer low reflecting coatings for glass, Peter King and Luther B. Lockhart—513
Transparency of ocean water, F. A. Jenkins and I. S. Bowen—617

Vision, visibility; visual phenomena
Atmospheric limitations on the performance of telescopes, Arthur C. Hardy—283, 359(A)
Axial image-inversion, Gordon L. Walls—615(L)
Basic sensation curves of the three-color theory, W. S. Stiles—491(L)
Brightness discrimination and visual acuity as functions of intensity, Theodore Louis Jahn—83
Brightness of the spectrum for the color blind, Selig Hecht and Yun Hsia—716(A)
Color adaptation to stimuli of different spectral composition but equal I.C.I. specifications, Jozef Cohen—717(A)
Contrast reduction by the atmosphere along inclined paths of sight, Seibert Q. Duntley—713(A)
Contrast thresholds of the human eye, H. Richard Blackwell—624, 714(A)
Correcting the spherical and chromatic aberrations of the eye, A. C. S. van Heel—237
Developments of the concept of chromatic value, Elliot Q. Adams—717(A)
Effect of illumination on the results of the Ishihara test, LeGrand H. Hardy, Gertrude Rand, and M. Catherine Rittler—86
Evaluation of colorimetric tristimulus values by means of a new centroid method, Howard A. Robinson—366(A)
Factors affecting the change in refractive power of the eye at high and low illuminations, Donald R. Griffin and George Wald—359(A)
Heliographic signaling mirrors, Richard S. Hunter—110
Influence of the Stiles-Crawford effect on measurements with the Pulfrich photometer, G. Hansen—321
Kinetics of visual dark adaptation, Theodore L. Jahn—659
Letter to the editor, W. E. Knowles Middleton—707(L)
Longitudinal inversion of optical images, subjective or objective, Douglas Rennie Hudson—492(L)
Macular pigmentation and color discrimination, David L. MacAdam—365(A)
Means, involving visual range light only, whereby own troops can see better than enemy troops at night, W. A. Shurcliff—427(L)
On the basic sensation curves of the three-color theory, Hl. de Vries—121
Performance test of stereopsis, Henry A. Imus—714(A)
Relation between visual acuity and brightness discrimination, Charles D. Hendley—714(A)
Relation of the configuration of a border to its visibility, Glenn A. Fry—713(A)
Relation of the length of a border to its visibility, Glenn A. Fry—713(A)
Report on survey of optical aids for subnormal vision, V. J. Ellerbrock—679
Screening test for defective red-green vision, LeGrand H. Hardy, Gertrude Rand, and M. Catherine Rittler—610
Sensitivity of human rod and cone vision to infra-red radiation, Donald R. Griffin, Ruth Hubbard, and George Wald—360(A)
Size, shape, and contrast in the daytime detection of targets, Edward S. Lamar, Selig Hecht, Simon Shlaer, and Charles D. Hendley—714(A)
Theory of the space-eikonometer, Kenneth N. Ogle—20
Theory of the Stiles-Crawford effect, Brian O'Brien—506
Use of constant-hue flickering to distinguish poor imitation from real green foliage, W. A. Shurcliff and E. I. Stearns—478
Visibility of objects seen through the atmosphere, Seibert Q. Duntley—359(A)
Visual critical flicker frequency as a function of intensity, Theodore Louis Jahn—76
Visual thresholds of steady point sources of light in fields of brightness from dark to daylight, H. A. Knoll, R. Tousey, and E. O. Hulburt—480

Ultraviolet
Measurement of ultraviolet radiation useful in heliotherapy, W. W. Coblentz—72
Photoelectric spectrophotometer for the Schumann region, Elbert P. Little—168
Transmittance and reflectance of germicidal (λ2537) energy, Matthew Luckiesh and A. H. Taylor—227

Zeeman effect
Description and analysis of the first spectrum of uranium, C. C. Kiess, C. J. Humphreys, and D. D. Laun 357(A)